

ATB SECURITY

Effective Security Solution For All Your Needs....

SECURITY ALARM SYSTEM

PowerSeries Self-Contained Wireless Alarm System

- Smallest footprint of any self-contained wireless alarm system currently available • Aesthetically pleasing design
- Built-in 2-way audio VGM and push-to-talk alarm communication
- Supports 32 wireless zones and 16 wireless keys (without using a zone slot) • Full 32 character programmable labels
- Enlarged keypad buttons • 9 programmable function keys
- Instant lock programming
- Input/Output terminals can be programmed to operate as zone inputs or programmable outputs
- Individual TAP keys • Wireless quick enroll • 2 PCM outputs
- Template programming • 17 user codes • 128 event buffer



PowerSeries 4-32 Zone Control Panel PC585

- 4 on-board zones • 32 wireless zones • 2 PCM outputs • Connect up to 8 supervised keypads with keypad zones • 1 partition • 128 event buffer • 32 user codes • Approval (listing: European CE Direction (EMC, R&TTE, LVD), INCERT (Belgium), FCC/IC



PowerSeries 64-Zone LCD Full-Message Keypad

- Modern, slim-line lambeau keypad • Enlarged keypad buttons • 5 programmable function keys • Input/Output terminal can be programmed to operate as a zone input, programmable output or as a low temperature sensor • 3 one-touch emergency keys • Multiple door chime per zone • Adjustable backlight and keypad buzzer • Wire channel • Dual wall mount and front cover latches • Easy-to-install mounting hinge • Surface or single-gang box-mount • New AC status LED • Available with English function keys



4-Button Wireless Key

- Durable, scratch-resistant buttons
- 4 programmable function keys
- Long-life lithium batteries included
- Full 3-second delay on panic alarm to reduce false alarms • Water resistant
- Multifunction belt clip included
- Reliable 433 MHz technology
- Optional generic rubber insert included



Wireless Pet-Immune Passive Infrared Detector

- WS4504P replaces the WS5004P-433
- Based on the Inno® 3D hardware microcontroller
- High traffic shutdown
- WS4504P features pet immunity up to 60 lb (27 kg)
- 1 lithium battery included



Wireless Door

- Built-in reed switch
- Normally closed external contact input
- 1 lithium battery included
- Available in brown housing
- Case and wall jumper



Wireless PowerG Outdoor Siren

- 170db Siren Output • Stroke light functionality for visual indication • Sleek design and robust weatherproof housing (NEMA) • Fully supervised



Wireless Photoelectric Smoke Detector with Heat

- Automatic drift compensation • Built-in dual-sensor heat detector with fixed heat and rate of rise (non UL listed) • Built-in 85dB horn • Local test button • Low profile design • High/Low sensitivity reporting • Low battery indication • Easy maintenance removable smoke chamber • Non-contact sensitivity testing with handheld test meter (PSD-100) • Long-life lithium batteries included • UL/ULC/EN listed for residential applications

Alexor 2-Way Wireless Panel

- 32 wireless zones, 16 wireless keys (without using a zone slot) • Template programming • 17 user codes • Account code error checking • Alternate communications via internet • Onboard siren at 85dB • 2 Input/Output terminals • 20Data Aux. Output • SDH event buffer • JAM Battery backup • Wall and case tamper • Independent opening and closing door chime control • Seamless quick enroll and placement testing



Wireless Glass Break Detector

- Based on the Acuity glass break detector. Tamper-activated test mode should be tested using the AT-100 glass break simulator. Note: it cannot work individually, it works only with the Zoom Home Alarm System G&H Kit which can be bought separately. Installation & wiring charges will be additional to be borne by the customer.



Beam detector

Shutter contacts



PIR Motion Detectors

- Digital signal analysis for consistent detection throughout the coverage pattern • Digital temperature compensation for improved catch performance at critical temperatures • Patented Multi-Low Signal Processing (MLSP) for accurate detection of human IR energy over a broad range of temperatures • Pet immunity up to 85 lb (39 kg) • Optional mounting brackets available: DM-W (wall-mount bracket) or DM-C (ceiling mount bracket)

2-Way Wireless Indoor Siren

- Siren Output – 85dB • Siren sounds for alarm, door chime, entry/exit delay and trouble • Transmits RF status, low battery and tamper • Front and back tamper detection • Normal battery life: 1 year • Compatible with ALERIS & MP65A • Onboard test button



Vanishing Contact

- Built-in reed switch
- Water-tight profile
- Long-life lithium battery included
- 5/8" (16mm) magnet gap
- Reliable 433 MHz technology
- Includes double-sided tape



Wireless Shock Sensor

- Electro-mechanical shock sensor
- Adjustable sensitivity
- Pre-alert
- Built-in reed contact
- User-replaceable lithium battery



ATB SECURITY

Effective Security Solution For All Your Needs.....



DVR DIGITAL VIDEO RECORDER



DH-DVR0804/1604LE-AS

DH-DVR0804LE-AS: 8 channel video inputs and 4 channel audio inputs. It can support CIF realtime recording or D1(4CIF) recording with 6-7fps. It can support TV, VGA and USB2.0.

DH-DVR1604LE-AS: 16 channel video inputs and 4 channel audio inputs. It can support CIF realtime recording or D1(4CIF) recording with 6-7fps. It can support TV, VGA, Spot and USB2.0. Main and Spot output can support multi-window display.



DH-DVR0404/0804/1604LF-5

4/8/16 Channel 2CIF 2U DVR



Network Video Recorder

- Up to 4/8/16 channel 1080P cameras Realtime Live View
- H.264/MPEG dual codec decoding
- HDMI / VGA simultaneous video output
- ONVIF Version 2.0 conformant
- Mobile Software: CMS8
- CMS Software: TVMS



H-264-4-Channel-DVR

- 4 channels entry level single 1U standardize DVR
- Up to 4 camera with D1(4CIF) (1280x1024) display
- H.264 video compression algorithm ideal
- Each channel at 1CF or 6-7 fps at D1 recording
- Dual encoding streams is supported
- TV(BNC)-VGA synchronous video output
- Supports 1 SATA HDD, 2 x USB2.0
- 4 channel simultaneous playback



POWER SUPPLY

Plastic Case Desktop Power Supply

CP-YPS-PD20-12D



CP-YPS-PD35-12D



Metal Case Power Supply



CP-YPS-MD50-12D



CP-YPS-MD100-12D



CP-YPS-MD200-12D

ATB SECURITY

Effective Security Solution For All Your Needs....

ACCESS CONTROL



Fingerprint Time Attendance

CP-VTA-L2024C-R



Fingerprint Time Attendance

CP-VTA-L2024UB



Standalone Facial Recognition System

CP-VTA-T2B25C



Time Attendance System with Lock Control

CP-VTA-L2024C-R



HD Color Fingerprint Time Attendance

CP-VTA-T3027C



Fingerprint Time Attendance

CP-VTA-L2024U



Professional Fingerprint Access Control

CP-VXC-L2024P-R



INDOOR UNIT

7" TFT COLOR MONITOR

CP-VM705-VP

- An indoor extension unit
- Compatible with VP series only (Max 4 indoor units)
- Hands Free, with power supply



OUTDOOR UNIT

7" HANDS FREE COLOR VIDEO DOOR PHONE

CP-PVK-70M1

- 7" Color TFT-LCD Display, Digital Panel
- 4 Wires System, easy Installation
- Hands free, Visitor Calling, Video Intercom, Unlock
- Two Outdoor Stations, up to 4 Indoor Monitors
- Call Transfer to the extensions
- Nano glass shield camera with aluminium alloy panel
- 1/4" CMOS Camera with 480 TVL Resolution
- IR Color Camera, Night vision
- Weather-proof Outdoor Unit



OUTDOOR UNIT

ELECTRIC RIM DOOR LOCK

CP-DRL-1155L/1155R

- Electronic Rim Lock (L for Left & R for Right Side Doors)
- Stainless Steel finish, Suitable for metal doors
- 50mm outer cylinder
- Suitable for residential, commercial, school, hotels & warehouses
- Electrical Resistance: 4Q
- Working Voltage: 12 VDC
- Consumption 3A
- Required Power: 12W

OUTDOOR UNIT

4" HANDS FREE COLOR VIDEO DOOR PHONE



CP-PVK-40M1

- 4" Color TFT-LCD Display, Digital Panel
- 4 Wires System, easy Installation
- Hands free, Visitor Calling, Video Intercom, Unlock
- Two Outdoor Stations, up to 4 Indoor Monitors
- Call Transfer to the extensions
- Nano glass shield camera with aluminium alloy panel
- 1/4" CMOS Camera with 480 TVL Resolution
- IR Color Camera, Night vision
- Weather-proof Outdoor Unit



OUTDOOR UNIT

7" HANDS FREE COLOR VIDEO DOOR PHONE

CP-1AV-K70

- 7" Color TFT - LCD Display, Super Slim
- 4 Wires System, easy Installation
- Hands free, Visitor Calling, Video intercom, Unlock, Monitor
- Weather-/Vandal-proof Outdoor Unit
- Rainproof and Vandal-proof Outdoor Station.
- IR Color Camera, night Vision

OUTDOOR UNIT

4 BELL OUTDOOR STATION

CP-PAV-C34

- 1/4" CMOS Camera with 480 TVL Resolution
- IR Color Camera, Night vision
- Flush Mounted with Aluminium Alloy Panel
- 4 Wires System, easy Installation
- Hands free, Visitor Calling, Video Intercom, Unlock
- Up to 4 Indoor Monitors
- Weather-proof Outdoor Unit



ATB SECURITY

Effective Security Solution For All Your Needs.....



HIGH RESOLUTION VARI-FOCAL WDR IR BULLET CAMERA - 50 mtr

- CF-QAC-TY70MVL5W
- E1/3" Sony Super HAD II
- 700 TVL High Resolution Camera
- 0 lux @ F1.2 (IR ON)
- 2.8-12 mm Vari-Focal Manual Iris Lens
- IR Range of 50 Mtrs with 72 LEDs
- AGC, AES, BLC, HLC, Mirror, Privacy Masking and Motion Detection
- Sens Up, WDR, 2D-DNR, 3D-DNR, LSC, DTS and Etcipse
- Weather Resistant IP 66 Housing
- CE, FCC and RoHS Certified

HIGH RESOLUTION WDR BOX CAMERA

- CF-QAC-BY70MVE
- 1/3" Sony Super HAD II • 700 TVL High Resolution Camera
- 0.01 lux B/W • C/CS Mount Lens • CE, FCC and RoHS Certified
- AGC, AES, BLC, HLC, Mirror, Privacy Masking and Motion Detection
- Sens Up, WDR, 2D-DNR, 3D-DNR, LSC, DTS and Etcipse



HIGH RESOLUTION VANDAL VF WDR IR DOME CAMERA-30 mtr

- CF-QAC-VY70MVL3W-E
- 1/3" Sony Super HAD II
- 700 TVL High Resolution Camera
- 0 lux @ F1.2 (IR ON)
- 2.8-12 mm Vari-Focal Manual Iris Lens
- IR Range of 30 Mtrs with 30 LEDs
- AGC, AES, BLC, HLC, Mirror, Privacy Masking and Motion Detection
- Sens Up, WDR, 2D-DNR, 3D-DNR, LSC, DTS and Etcipse
- CE, FCC and RoHS Certified



HIGH RESOLUTION DOME CAMERA

- CF-QAC-DY70M
- 1/3" Sony CCD Sensor
- 700 TVL High Resolution Camera
- 0.01 Lux Min. Illumination
- C/CS Mount Lens
- AGC, AWB and BLC
- CE, FCC and RoHS Certified



SUPER HIGH RESOLUTION DOME CAMERA WITH OSD



SUPER HIGH RESOLUTION BOX CAMERA WITH OSD



SUPER HIGH RESOLUTION BULLET CAMERA WITH OSD-30 mtr



HIGH RESOLUTION VF IR CAMERA WITH TranX-20mtr



HIGH RESOLUTION DOME CAMERA WITH OSD-20mtr



HIGH RESOLUTION VF DOME CAMERA WITH OSD



LONG RANGE IR BULLET CAMERA - 80 MTR



10X INDOOR DAY & NIGHT SPEED DOME CAMERA



22X IR NIGHT VISION POLICE VAN SPEED DOME CAMERA



HIGH RESOLUTION VF IR CAMERA WITH TranX-30mtr



IR BULLET CAMERA - 70 mtr



PIN HOLE CAMERA WITH AUDIO



IR BULLET CAMERA -20 mtr



IR BULLET CAMERA -20 mtr



VARI-FOCAL IR BULLET CAMERA- 40 MTR

